

HydroCER® 135

Aqueous Wax Dispersion

The HydroCER® products are wax emulsions, dispersions, or a combination of these.





Product Description:

HydroCER® 135 is an aqueous amide wax dispersion.

Application:

HydroCER® 135 is recommended for use in the water-based coating systems at a recommended level of 4.0 – 8.5% of total formula weight.

Features and Benefits:

-  Slip (Low COF)
-  Release
-  Ease of Incorporation
-  Anti-Blocking

Typical Properties:

	Hegman Grind:	6.0 Min
	Weight/Gallon:	7.5 - 8.5 lb/gal
	pH:	6 – 9
	Percent Solids:	35%

Regulatory Status:

The components of this product are listed on multiple chemical inventories. For specific information on the applicable chemical inventories, please refer to the product SDS. This product meets the requirements of 21 CFR 175.105, 175.300, and 176.170.

Safety, Shipping and Handling:

Precaution: Keep From Freezing. Mix Well Prior To Use.

For complete safety, shipping and handling information please contact your regional Customer Service Representative, or our Customer Service Team at customerserviceteam@shamrocktechnologies.com.

For more information about Shamrock's other products or capabilities please visit us at our website, ShamrockTechnologies.com.

Corporate Headquarters
Foot of Pacific Street
Newark, NJ 07114
Phone: +1(800)349-1822

Henderson, KY
301 Community Drive
Henderson, KY 42420
Phone: +1(800)349-1822

Tongeren, Belgium
Heersterveldweg 21,
B-3700 Tongeren Belgium
Phone: +32 1245 8330

Tianjin, China
Fty 5, Ave. 9, TEDA
Phone: +86 22 5981 3085

The information contained in this document is, to the best of our knowledge, true and accurate. Although every effort is made to provide complete and accurate information, neither Shamrock nor any of its affiliates makes any representation, express or implied, regarding the accuracy of the data, the results to be obtained from the use thereof, and assumes no liability or responsibility for any errors or omissions, or that any such use will not infringe any patent. This information is being provided to you to assist with the evaluation of the materials described herein, and should not be relied upon without verification by you.

Issue Date: 11/12/2024