

S-400-N1

Micronized EBS Wax

Product Description:




S-400-N1 is micronized EBS (ethylene bis stearamide) wax powder.

Application:






S-400-N1 is used in both the ink and coating industry. S-400-N1 is recommended for water-based, solvent-based, and UV systems at 1-2% of the total formula weight.

S-400-N1 also acts as a defoamer.

Features and Benefits:

-  Slip (Low COF) Release
-  Anti-blocking
-  Water resistance

Typical Properties:

	Particle Size Mean Value:	5 μm
	99% of Particle Under:	15 μm
	NPIRI Grind:	2.5 Max
	Specific Gravity:	0.98 g/cm ³
	Melting Point	140-145°C

Regulatory Status:

The components of this product are listed on multiple chemical inventories. For specific information on the applicable chemical inventories, please refer to the product SDS. This product is microplastic free as per ECHA Annex XV restrictions.

Safety, Shipping and Handling:

For complete safety, shipping and handling information please contact your regional Customer Service Representative, or our Customer Service Team at customerserviceteam@shamrocktechnologies.com.

For **more** information about Shamrock's other products or capabilities please visit us at our website, ShamrockTechnologies.com.

Corporate Headquarters
Foot of Pacific Street
Newark, NJ 07114
Phone: +1(800)349-1822

Henderson, KY
301 Community Drive
Henderson, KY 42420
Phone: +1(800)349-1822

Tongeren, Belgium
Heersterveldweg 21,
B-3700 Tongeren Belgium
Phone: +32 1245 8330

Tianjin, China
Fty 5, Ave. 9, TEDA
Phone: +86 22 5981 3085