

## S-400-Q

Micronized EBS Wax




### Product Description:

S-400-Q is a micronized EBS (ethylene bis stearamide) wax as a solvent resistant beta polymorph.




### Application:

S-400 Q is used in both the inks and coatings. S-400-Q is recommended for water-based, solvent-based, and UV systems at 1 – 2% of the total formula weight.

### Features and Benefits:

-  Slip (Low COF)
-  Release
-  Gelling Properties

### Typical Properties:

 Specific Gravity:	0.98 g/cm <sup>3</sup>
 Melting Point	140-145°C
 Particle Size Mean Value:	8µm

### Regulatory Status

The components of this product are listed on multiple chemical inventories. For specific information on the applicable chemical inventories, please refer to the product SDS. This product is microplastic free as per ECHA Annex XV restrictions.

### Safety, Shipping and Handling:

For complete safety, shipping and handling information please contact your regional Customer Service Representative, or our Customer Service Team at [customerserviceteam@shamrocktechnologies.com](mailto:customerserviceteam@shamrocktechnologies.com).

For **more** information about Shamrock's other products or capabilities please visit us at our website, [ShamrockTechnologies.com](http://ShamrockTechnologies.com).

**Corporate Headquarters**  
Foot of Pacific Street  
Newark, NJ 07114  
Phone: +1(800)349-1822

**Henderson, KY**  
301 Community Drive  
Henderson, KY 42420  
Phone: +1(800)349-1822

**Tongeren, Belgium**  
Heersterveldweg 21,  
B-3700 Tongeren Belgium  
Phone: +32 1245 8330

**Tianjin, China**  
Fty 5, Ave. 9, TEDA  
Phone: +86 22 5981 3085