

S-400Q

Micronized EBS Wax




Product Description:

S-400Q is a micronized EBS (ethylene bis stearamide) wax as a solvent resistant beta polymorph.




Application:

S-400Q is used in both the inks and coatings. S-400Q is recommended for water-based, solvent-based, and UV systems at 1 – 2% of the total formula weight.

Features and Benefits:

-  Slip (Low COF)
-  Release
-  Gelling Properties

Typical Properties:

	Specific Gravity:	0.98 g/cm ³
	Melting Point	140-145°C
	Particle Size Mean Value:	8µm

Regulatory Status

The components of this product are listed on multiple chemical inventories. For specific information on the applicable chemical inventories, please refer to the product SDS.

Safety, Shipping and Handling:

For complete safety, shipping and handling information please contact your regional Customer Service Representative, or our Customer Service Team at customerserviceteam@shamrocktechnologies.com.

For **more** information about Shamrock's other products or capabilities please visit us at our website, ShamrockTechnologies.com.

Corporate Headquarters
Foot of Pacific Street
Newark, NJ 07114
Phone: +1(800)349-1822

Henderson, KY
301 Community Drive
Henderson, KY 42420
Phone: +1(800)349-1822

Tongeren, Belgium
Heersterveldweg 21,
B-3700 Tongeren Belgium
Phone: +32 1245 8330

Tianjin, China
Fty 5, Ave. 9, TEDA
Phone: +86 22 5981 3085